

November 14, 2022

Jacob Bilbo  
City of Shoreline  
206.801.2358  
Via email: [jbilbo@shorelinewa.gov](mailto:jbilbo@shorelinewa.gov)

## Re: City of Shoreline Parks Bond Projects – Shoreview Park Preliminary Arborist Report

The Watershed Company Reference Number: 220722

Dear Jacob:

On October 13<sup>th</sup>, 17<sup>th</sup>, 18<sup>th</sup>, and 21<sup>st</sup>, 2022, ISA Certified Arborists® from The Watershed Company visited Shoreview Park located at 700 NW Innis Arden Way (parcel #1226039012) in Shoreline, Washington to inventory significant trees located in proximity to proposed park improvements. This report summarizes the findings of the study and provides a preliminary tree impacts assessment associated with proposed park improvements. The following documents are enclosed:

- Tree Inventory Table
- Tree Inventory Sketch (west study area)
- Tree Inventory Sketch (east study area)

### Study Area

The study area, shown on the attached Tree Inventory Sketches, includes portions of Shoreview Park located in proximity to proposed improvements (see Figure 1).



Figure 1. City of Shoreline concept design for Shoreview Park (City of Shoreline, July 2019).

## Project Background

Proposition 1, passed in the February 2022 special election, is a bond levy for improvements and land acquisitions at several Shoreline parks, including Shoreview Park. Per conceptual plans, improvements will be made in two areas of the park. Multi-purpose field improvements are proposed to occur within the existing playfield area. Off-leash dog park improvements, including new walkways and parking lot upgrades, will be made to these existing features.

## Methods

Per Shoreline Municipal Code (SMC), a significant tree is defined as “any healthy tree six inches or greater in diameter at breast height (DBH) excluding those trees that qualify for complete exemptions from Chapter 20.50 SMC, Subchapter 5, Tree Conservation, Land Clearing, and Site Grading Standards, under SMC 20.50.310(A)” (SMC 20.20.048). A round one-and-one-quarter inch-wide, numbered aluminum tag was affixed to the trunk of all trees measuring six inches or

greater located in proximity to the project area. Trees located outside of the park boundary in proximity to the project area were assigned a unique identification number but not tagged. All observation of off-site trees were made from the park property or public right-of-way; attributes of off-site tree are estimated.

The attributes collected during the field survey are described in Table 1, below. The attached Tree Inventory Table contains the data collected for each tree inventoried. General attributes documented for all inventoried trees include the unique identification number and species name. Physical attributes include number of stems, diameter at breast height (DBH), height, canopy radius, and condition.

Table 1. Attributes recorded for all inventoried trees and that are presented in the spreadsheet database.

Attribute	Description of Attribute
ID NUMBER	Unique number assigned to an assessed tree. This number corresponds to the tag number in the field.
SCIENTIFIC NAME	Formal scientific name conforming to the International Code of Nomenclature.
COMMON NAME	Name that is based on normal or common language of the Pacific Northwest.
STEMS	Number of trunks or shoots that contribute significantly to the canopy.
DBH	Diameter at Breast Height; or 4.5 feet from the ground surface.
HEIGHT	Approximate distance from the ground surface at the trunk to the highest point of the subject tree as visually estimated.
CANOPY RADIUS	Approximate average distance from the stem to the limits of the drip line, or end of branches.
CONDITION	<p>Health rating of an assessed tree using a 6-tier system as follows:</p> <ul style="list-style-type: none"> <li>1 – Excellent: No apparent problems with the tree. Form is exemplary for the species.</li> <li>2 – Good: Few minor defects such as crossed branches, minor foliage die-back, minor trunk damage, or unbalanced canopy.</li> <li>3 – Fair: Several minor problems exist.</li> <li>4 – Poor: Major defects visible such as significant trunk decay, codominant leaders with included bark, significant canopy die-back, major cracks in a stem or major limbs, and/or other structural problems. Topped trees are generally considered poor.</li> <li>5 – Dying: Tree is in a state of significant decline.</li> <li>6 – Dead: Tree is dead.</li> </ul>

In general, tree diameter was measured at four feet above the ground surface (diameter at breast height, or “DBH”) using a graduated metal logger’s DBH tape. Methodology for measuring and calculating the diameter of trees with multiple trunks, major leans, or on steep slopes followed those outlined in the Guide for Plant Appraisal, 10th Edition, written by the Council of Tree and Landscape Appraisers (CTLA) and published by ISA (CTLA 2020). For trees with multiple trunks the total diameter was calculated by taking the square root of the sum of each diameter squared, which allows for comparison to other single-stemmed trees and for more accurate permitting and tree retention calculations. Visual estimates of trunk diameter were used where direct access to the tree was not allowed or not feasible.

## Findings

### Environmental Setting

Shoreview Park is located in the western portion of the City of Shoreline (Section 12, Township 26 North, Range 03 East). Two separate study areas total approximately 11.5 acres in size. Surrounding land use includes single-family residences with high tree canopy cover and forested natural areas; Shoreline Community College is located immediately east of the park. Shoreview Park, which totals approximately 82 acres, includes several parking areas, developed playfields, sport courts, a large off-leash dog park, restroom facilities, and picnic areas, as well as large forested areas with hiking trails.

The western study area is characterized by a flat dirt-surfaced sports field and playground accessed from an upper parking area via stairs and an accessible ramp. The eastern study area features a large off-leash dog park that is also relatively flat. Topography outside of these flat, developed areas generally slopes steeply downward to the west and northwest.

### Tree Inventory Results

A total of 557 trees (#1321-1877) located within the study areas were included in the inventory. Forty-six trees included in the inventory are not significant due to a condition rating of poor (4) or worse; a total of 511 significant trees were inventoried (SMC 20.20.048). Inventoried trees located within park boundaries are dominated by coniferous species, most native to the Pacific Northwest. Douglas-fir (*Pseudotsuga menziesii*) is the most common species with 330 individuals inventoried, comprising approximately two-thirds of the significant trees on the site. The next most common tree species include Pacific madrone (*Arbutus menziesii*) with 80 individuals, and bigleaf maple (*Acer macrophyllum*), with 36 individuals. Significant trees were generally in good (2) condition.

Overall, the average DBH of significant trees within the study areas is 14.4-inches. The largest significant tree (#1750) is a Douglas-fir with a DBH of 41.7-inches. Eighteen significant trees, including eleven Douglas-fir, three bigleaf maple (*Acer macrophyllum*), two western red cedar (*Thuja plicata*), one black cottonwood (*Populus balsamifera*), and one western white pine (*Pinus monticola*), have DBHs measuring between 30.0-inches and 40.0-inches.

Fifty significant trees have diameters greater than 24-inches DBH and are eligible for landmark tree status in the City of Shoreline; approximately three-quarters of all landmark trees are Douglas-firs. A landmark tree is defined as “Any healthy tree over 24 inches in diameter at breast height (DBH) that is worthy of long-term protection due to a unique combination of size, shape, age, location, aesthetic quality for its species or any other trait that epitomizes the character of the species, and/or has cultural, historic or ecological importance or is a regional erratic” (SMC 20.20.048). A summary of significant tree species and size is provided in Table 2 below.

Table 2. Summary of tree species and size.

Tree Name	Total Significant	Total* Landmark	Average DBH (In.)	Largest DBH (In.)
<i>Acer macrophyllum</i> (bigleaf maple)	36	7	17.4	33.3
<i>Acer rubrum</i> (red maple)	3	-	7.8	8.5
<i>Alnus rubra</i> (red alder)	11	1	12.6	24.8
<i>Arbutus menziesii</i> (Pacific madrone)	80	1	11.3	28.5
<i>Cercis canadensis</i> (eastern redbud)	3	-	6.7	7.0
<i>Cornus nuttallii</i> (Pacific dogwood)	2	-	7.5	8.4
<i>Fraxinus pennsylvanica</i> (green ash)	8	-	13.4	17.4
<i>Juglans regia</i> (English walnut)	1	-	n/a	7.4
<i>Pinus monticola</i> (western white pine)	7	1	15.1	38.4
<i>Pinus ponderosa</i> (ponderosa pine)	3	-	7.6	9.6
<i>Populus balsamifera</i> (black cottonwood)	3	1	20.5	38.0
<i>Prunus cerasifera</i> 'thundercloud' (Thundercloud plum)	5	-	9.6	11.0
<i>Pseudotsuga menziesii</i> (Douglas-fir)	330	37	15.2	41.7
<i>Salix scouleriana</i> (Scouler's willow)	9	-	14.0	23.9
<i>Thuja plicata</i> (western red cedar)	10	2	12.8	33.4

<b>TOTAL</b>	<b>511</b>	<b>50</b>	<b>14.4</b>	<b>41.7</b>
--------------	------------	-----------	-------------	-------------

\* Landmark tree based upon size criteria only.

## Local Regulations

The City of Shoreline regulates public trees under Chapter 12.30 *Public Tree Management*. Public trees include those located within the public rights-of-way and city-owned public property (SMC 12.30.010). It is the tree board’s responsibility to make policy recommendations regarding the management of public trees (SMC12.30.020). Per SMC 12.30.010 “it shall be the responsibility of the parks, fleet, and facilities manager (hereafter “manager”) to manage and oversee the planting, care, maintenance, and removal of all trees on public rights-of-way and city-owned public property within the city limits.” Additionally, if critical areas and/or associated buffer are present within, or in proximity, to the proposed park improvements, all trees located within critical areas or buffers are regulated under Chapter 20.80 *Critical Areas*.

## Preliminary Tree Impacts Assessment

Based upon the conceptual plan depicting proposed improvements at Shoreview Park, some significant trees may have impacts that will require their removal. Improvements to the playfield proposed in the western study area appear to be limited to the existing field’s footprint. As such, it is not anticipated that playfield improvements will impact surrounding trees. However, staging and access areas, which have not been identified, as well as potential grading within critical root zones (CRZ) may impact significant trees.

Similarly, most improvements proposed to the off-leash dog park and adjacent parking area, with the exception of new pedestrian trails, appear to be located within the existing footprint of these features. Installation of proposed trails located in forested areas may impact trees if grading is required within the CRZ. It is recommended that further design iterations consider the location of existing significant trees, particularly those that meet landmark tree size requirements (see Figure 2). Species native to the Pacific Northwest, especially conifers and broadleaf evergreens are also recommended for retention prioritization. To minimize tree impacts associated with the proposed trails it is further recommended that low-impact surfacing materials such as wood chips be utilized and that grading is minimized within the CRZ of trees.



Figure 2. Approximate locations of landmark-sized trees in the east study area, highlighted in blue.

It is expected that the tree protection measures described below can be followed and that no additional impacts are anticipated to occur to remaining significant trees. However, this impact assessment is based upon preliminary park designs and approximate location of significant trees. Further assessment of tree impacts may be needed as the conceptual plan is refined and surveyed tree points are available.

### Tree Protection Measures

SMC 20.50.370 *Tree protection standards* outlines the following guidelines for all trees proposed for retention:

- A. *All required tree protection measures shall be shown on the tree protection and replacement plan, clearing and grading plan, or other plan submitted to meet the requirements of this subchapter. Tree protection shall remain in place for the duration of the permit unless earlier removal is addressed through construction sequencing on approved plans.*

B. *Critical root zones (tree protection zone) as defined by the International Society of Arboriculture shall be protected. No development, fill, excavation, construction materials, equipment staging, or traffic shall be allowed in the critical root zone of trees that are to be retained.*

C. *Prior to any land disturbance, temporary construction fences must be placed around the tree protection zone to be preserved. If a cluster of trees is proposed for retention, the barrier shall be placed around the edge formed by the drip lines of the trees to be retained. Tree protection shall remain in place for the duration of the permit unless earlier removal is addressed through construction sequencing on approved plans.*

D. *Tree protection barriers shall be a minimum of six feet high, constructed of chain link or similar material, subject to approval by the Director. "Tree Protection Area" signs shall be posted visibly on all sides of the fenced areas. On large or multiple-project sites, the Director may also require that signs requesting subcontractor cooperation and compliance with tree protection standards be posted at site entrances.*

E. *If any construction work needs to be performed inside either the tree drip line, critical root zone, and/or the inner critical root zone, the project arborist will be on site to supervise the work. When excavation must occur within or near the critical root zone, any found roots of three inches or greater in diameter will be cleanly cut to the edge of the trench to avoid ripping of the root.*

F. *Where tree protection zones are remote from areas of land disturbance, and where approved by the Director, alternative forms of tree protection may be used in lieu of tree protection barriers; provided, that protected trees are completely surrounded with continuous rope or flagging and are accompanied by "Tree Leave Area – Keep Out" signs.*

G. *Rock walls shall be constructed around the tree, equal to the dripline, when existing grade levels are lowered or raised by the proposed grading.*

H. *Retain small trees, bushes, and understory plants within the tree protection zone, unless the plant is identified as a regulated noxious weed, a nonregulated noxious weed, or a weed of concern by the King County Noxious Weed Control Board.*

I. *Preventative Mitigation. In addition to the above minimum tree protection measures, the applicant shall support tree protection efforts by employing, as appropriate, the following preventative measures, consistent with best management practices for maintaining the health of the tree:*

1. *Pruning of visible deadwood on trees to be protected or relocated;*



2. *Mulching with a layer of four inches to five inches of wood chips in the critical root zones of retained trees; and*
3. *Ensuring one inch of irrigation or rainfall per week during and immediately after construction and from early May through September until reliable rainfall occurs in the fall.*

## Disclaimer

The findings of this report are based on the best available science and are limited to the scope, budget, and site conditions at the time of the assessment. Although the information in this report is based on sound methodology, internal physical flaws (such as cracking or root rot) or other conditions that are not visible cannot be detected with this limited basic visual screening. Trees are inherently unpredictable. Even vigorous and healthy trees can fail due to high winds, heavy snow, ice storms, rain, age, or other causes.

This report is based on the current observable conditions and may not represent future conditions of the trees. Changes in site conditions, including clearing and grading, will alter the condition of remaining trees in a way that is not predictable.

Please call if you have any questions or if we can provide you with any additional information.

Sincerely,



Roeh Hohlfeld  
Ecologist / ISA Certified Arborist® PN-8562A

Enclosures

TAG #	TREE NAME	EV / DEC	# STEMS	COMB DBH (IN)	HEIGHT (FT)	RADIUS (FT)	CONDITION	SIGNIFICANT	LANDMARK
1321	Pseudotsuga menziesii (Douglas-fir)	E	1	32.1	75	15	Good	yes	yes
1322	Pseudotsuga menziesii (Douglas-fir)	E	1	29.2	105	15	Good	yes	yes
1323	Pseudotsuga menziesii (Douglas-fir)	E	1	35.9	105	25	Good	yes	yes
1324	Thuja plicata (Western red cedar)	E	1	32.3	85	20	Fair	yes	yes
1325	Thuja plicata (Western red cedar)	E	1	33.4	85	20	Good	yes	yes
1326	Pinus monticola (Western white pine)	E	1	38.4	105	20	Good	yes	yes
1327	Arbutus menziesii (Pacific madrone)	E	1	8.6	35	10	Good	yes	no
1328	Salix scouleriana (Scouler's willow)	D	1	15.9	30	14	Poor	no	no
1329	Pseudotsuga menziesii (Douglas-fir)	E	1	10.7	70	12	Good	yes	no
1330	Arbutus menziesii (Pacific madrone)	E	1	16.7	45	16	Good	yes	no
1331	Thuja plicata (Western red cedar)	E	1	6.6	25	6	Good	yes	no
1332	Arbutus menziesii (Pacific madrone)	E	1	11.2	45	16	Good	yes	no
1333	Thuja plicata (Western red cedar)	E	1	6.7	30	6	Good	yes	no
1334	Thuja plicata (Western red cedar)	E	1	6.0	30	6	Good	yes	no
1335	Thuja plicata (Western red cedar)	E	1	6.3	25	6	Poor	no	no
1336	Pseudotsuga menziesii (Douglas-fir)	E	1	9.4	70	12	Good	yes	no
1337	Thuja plicata (Western red cedar)	E	1	6.1	25	6	Poor	no	no
1338	Thuja plicata (Western red cedar)	E	1	8.4	25	6	Poor	no	no
1339	Pseudotsuga menziesii (Douglas-fir)	E	1	8.3	50	10	Good	yes	no
1340	Arbutus menziesii (Pacific madrone)	E	1	9.7	25	10	Fair	yes	no
1341	Pseudotsuga menziesii (Douglas-fir)	E	1	6.7	50	10	Good	yes	no
1342	Pseudotsuga menziesii (Douglas-fir)	E	1	17.0	90	18	Good	yes	no
1343	Pseudotsuga menziesii (Douglas-fir)	E	1	10.0	25	8	Good	yes	no
1344	Thuja plicata (Western red cedar)	E	1	7.0	25	8	Good	yes	no
1345	Pseudotsuga menziesii (Douglas-fir)	E	1	7.0	25	8	Good	yes	no
1346	Arbutus menziesii (Pacific madrone)	E	1	7.8	20	8	Poor	no	no
1347	Pseudotsuga menziesii (Douglas-fir)	E	1	9.7	35	8	Good	yes	no
1348	Pseudotsuga menziesii (Douglas-fir)	E	1	13.7	80	16	Good	yes	no
1349	Arbutus menziesii (Pacific madrone)	E	1	7.6	25	6	Good	yes	no
1350	Arbutus menziesii (Pacific madrone)	E	1	9.0	25	6	Good	yes	no
1351	Arbutus menziesii (Pacific madrone)	E	1	10.0	25	10	Good	yes	no
1352	Pseudotsuga menziesii (Douglas-fir)	E	1	14.0	80	14	Good	yes	no
1353	Pseudotsuga menziesii (Douglas-fir)	E	1	14.7	80	14	Good	yes	no
1354	Arbutus menziesii (Pacific madrone)	E	1	11.9	25	10	Good	yes	no
1355	Arbutus menziesii (Pacific madrone)	E	1	7.5	25	10	Good	yes	no
1356	Pseudotsuga menziesii (Douglas-fir)	E	1	38.1	100	20	Good	yes	yes
1357	Pseudotsuga menziesii (Douglas-fir)	E	1	12.0	40	10	Good	yes	no
1358	Pseudotsuga menziesii (Douglas-fir)	E	1	13.2	60	14	Good	yes	no
1359	Arbutus menziesii (Pacific madrone)	E	1	15.6	20	10	Good	yes	no

TAG #	TREE NAME	EV / DEC	# STEMS	COMB DBH (IN)	HEIGHT (FT)	RADIUS (FT)	CONDITION	SIGNIFICANT	LANDMARK
1360	Arbutus menziesii (Pacific madrone)	E	1	7.7	24	10	Poor	no	no
1361	Pseudotsuga menziesii (Douglas-fir)	E	1	7.2	25	10	Poor	no	no
1362	Pseudotsuga menziesii (Douglas-fir)	E	1	8.9	40	14	Good	yes	no
1363	Pseudotsuga menziesii (Douglas-fir)	E	1	15.9	65	18	Good	yes	no
1364	Pseudotsuga menziesii (Douglas-fir)	E	1	8.6	40	14	Good	yes	no
1365	Arbutus menziesii (Pacific madrone)	E	1	9.1	20	14	Good	yes	no
1366	Pseudotsuga menziesii (Douglas-fir)	E	1	11.8	45	10	Good	yes	no
1367	Arbutus menziesii (Pacific madrone)	E	1	12.4	25	10	Good	yes	no
1368	Pseudotsuga menziesii (Douglas-fir)	E	1	21.7	65	15	Good	yes	no
1369	Arbutus menziesii (Pacific madrone)	E	1	6.6	20	8	Good	yes	no
1370	Pseudotsuga menziesii (Douglas-fir)	E	1	8.3	30	14	Fair	yes	no
1371	Pseudotsuga menziesii (Douglas-fir)	E	1	22.5	70	18	Good	yes	no
1372	Arbutus menziesii (Pacific madrone)	E	1	16.6	20	10	Good	yes	no
1373	Salix scouleriana (Scouler's willow)	D	1	17.8	25	20	Good	yes	no
1374	Pseudotsuga menziesii (Douglas-fir)	E	1	11.6	50	16	Good	yes	no
1375	Salix scouleriana (Scouler's willow)	D	1	13.0	25	16	Good	yes	no
1376	Pseudotsuga menziesii (Douglas-fir)	E	1	9.1	30	18	Good	yes	no
1377	Alnus rubra (Red alder)	D	1	16.6	25	20	Fair	yes	no
1378	Alnus rubra (Red alder)	D	1	8.8	20	16	Fair	yes	no
1379	Alnus rubra (Red alder)	D	1	12.0	20	16	Fair	yes	no
1380	Alnus rubra (Red alder)	D	1	12.1	25	16	Very Poor	no	no
1381	Alnus rubra (Red alder)	D	1	16.8	25	16	Very Poor	no	no
1382	Cercis canadensis (Eastern redbud)	D	1	7.0	12	10	Fair	yes	no
1383	Pseudotsuga menziesii (Douglas-fir)	E	1	38.9	100	20	Good	yes	yes
1384	Fraxinus pennsylvanica (Green ash)	D	1	10.9	25	15	Good	yes	no
1385	Fraxinus pennsylvanica (Green ash)	D	1	10.5	25	15	Good	yes	no
1386	Fraxinus pennsylvanica (Green ash)	D	1	14.7	25	15	Good	yes	no
1387	Prunus cerasifera 'thundercloud' (Thundercloud flowering plum)	D	1	10.5	25	15	Good	yes	no
1388	Pinus monticola (Western white pine)	E	1	12.7	25	12	Good	yes	no
1389	Prunus cerasifera 'thundercloud' (Thundercloud flowering plum)	D	1	9.7	25	15	Good	yes	no
1390	Fraxinus pennsylvanica (Green ash)	D	1	10.5	25	15	Good	yes	no
1391	Fraxinus pennsylvanica (Green ash)	D	1	17.4	25	15	Good	yes	no
1392	Prunus cerasifera 'thundercloud' (Thundercloud flowering plum)	D	1	8.4	20	10	Good	yes	no
1393	Fraxinus pennsylvanica (Green ash)	D	1	13.5	30	14	Good	yes	no
1394	Fraxinus pennsylvanica (Green ash)	D	1	14.1	30	14	Good	yes	no
1395	Acer rubrum (Red maple)	D	1	8.5	20	10	Good	yes	no
1396	Acer rubrum (Red maple)	D	1	6.5	20	10	Good	yes	no
1397	Fraxinus pennsylvanica (Green ash)	D	1	15.9	30	18	Good	yes	no
1398	Juglans regia (English walnut)	D	1	7.4	16	8	Good	yes	no
1399	Cercis canadensis (Eastern redbud)	D	1	6.3	13	8	Good	yes	no

TAG #	TREE NAME	EV / DEC	# STEMS	COMB DBH (IN)	HEIGHT (FT)	RADIUS (FT)	CONDITION	SIGNIFICANT	LANDMARK
1400	Cercis canadensis (Eastern redbud)	D	1	6.9	14	9	Good	yes	no
1401	Acer rubrum (Red maple)	D	1	8.3	25	18	Good	yes	no
1402	Prunus cerasifera 'thundercloud' (Thundercloud flowering plum)	D	1	8.6	25	12	Good	yes	no
1403	Pinus monticola (Western white pine)	E	1	11.1	25	12	Fair	yes	no
1404	Pinus monticola (Western white pine)	E	1	11.0	25	12	Good	yes	no
1405	Prunus cerasifera 'thundercloud' (Thundercloud flowering plum)	D	1	11.0	25	12	Good	yes	no
1406	Alnus rubra (Red alder)	D	1	24.8	30	18	Fair	yes	yes
1407	Populus balsamifera (Cottonwood)	D	1	38.0	80	30	Excellent	yes	yes
1408	Pseudotsuga menziesii (Douglas-fir)	E	1	22.4	90	20	Good	yes	no
1409	Pseudotsuga menziesii (Douglas-fir)	E	1	9.8	50	10	Good	yes	no
1410	Pseudotsuga menziesii (Douglas-fir)	E	1	15.1	65	15	Good	yes	no
1411	Pseudotsuga menziesii (Douglas-fir)	E	1	16.5	70	15	Good	yes	no
1412	Pseudotsuga menziesii (Douglas-fir)	E	1	18.8	70	15	Good	yes	no
1413	Pseudotsuga menziesii (Douglas-fir)	E	1	17.6	100	15	Good	yes	no
1414	Pseudotsuga menziesii (Douglas-fir)	E	1	9.4	70	10	Good	yes	no
1415	Pseudotsuga menziesii (Douglas-fir)	E	1	11.4	85	15	Good	yes	no
1416	Pseudotsuga menziesii (Douglas-fir)	E	1	13.6	70	15	Good	yes	no
1417	Pseudotsuga menziesii (Douglas-fir)	E	1	11.7	70	15	Good	yes	no
1418	Pseudotsuga menziesii (Douglas-fir)	E	1	12.3	80	15	Good	yes	no
1419	Pseudotsuga menziesii (Douglas-fir)	E	1	17.9	85	15	Good	yes	no
1420	Pinus monticola (Western white pine)	E	1	9.2	30	10	Good	yes	no
1421	Pseudotsuga menziesii (Douglas-fir)	E	1	17.2	85	15	Good	yes	no
1422	Pseudotsuga menziesii (Douglas-fir)	E	1	10.8	75	15	Good	yes	no
1423	Pseudotsuga menziesii (Douglas-fir)	E	1	13.9	85	15	Good	yes	no
1424	Acer macrophyllum (Bigleaf maple)	D	1	7.1	50	10	Fair	yes	no
1425	Pseudotsuga menziesii (Douglas-fir)	E	2	9.9	70	10	Good	yes	no
1426	Pseudotsuga menziesii (Douglas-fir)	E	2	10.2	75	10	Good	yes	no
1427	Pseudotsuga menziesii (Douglas-fir)	E	1	14.7	75	15	Good	yes	no
1428	Salix scouleriana (Scouler's willow)	D	1	6.1	30	10	Fair	yes	no
1429	Pseudotsuga menziesii (Douglas-fir)	E	1	16.2	85	15	Good	yes	no
1430	Pseudotsuga menziesii (Douglas-fir)	E	1	11.7	85	15	Good	yes	no
1431	Pseudotsuga menziesii (Douglas-fir)	E	2	10.0	75	10	Good	yes	no
1432	Pseudotsuga menziesii (Douglas-fir)	E	1	11.5	75	10	Good	yes	no
1433	Pseudotsuga menziesii (Douglas-fir)	E	1	11.2	40	10	Good	yes	no
1434	Pseudotsuga menziesii (Douglas-fir)	E	1	15.7	45	10	Good	yes	no
1435	Pseudotsuga menziesii (Douglas-fir)	E	1	15.6	70	15	Good	yes	no
1436	Pseudotsuga menziesii (Douglas-fir)	E	1	6.5	60	10	Good	yes	no
1437	Pseudotsuga menziesii (Douglas-fir)	E	1	10.9	75	15	Good	yes	no
1438	Pseudotsuga menziesii (Douglas-fir)	E	1	17.3	80	15	Good	yes	no
1439	Pseudotsuga menziesii (Douglas-fir)	E	1	13.6	70	15	Good	yes	no
1440	Arbutus menziesii (Pacific madrone)	E	1	7.7	25	10	Good	yes	no

TAG #	TREE NAME	EV / DEC	# STEMS	COMB DBH (IN)	HEIGHT (FT)	RADIUS (FT)	CONDITION	SIGNIFICANT	LANDMARK
1441	Pseudotsuga menziesii (Douglas-fir)	E	1	19.1	75	15	Good	yes	no
1442	Pseudotsuga menziesii (Douglas-fir)	E	1	15.0	75	15	Good	yes	no
1443	Pseudotsuga menziesii (Douglas-fir)	E	1	19.4	80	20	Good	yes	no
1444	Arbutus menziesii (Pacific madrone)	E	1	7.0	35	10	Good	yes	no
1445	Pseudotsuga menziesii (Douglas-fir)	E	1	14.7	75	15	Good	yes	no
1446	Pinus ponderosa (Ponderosa pine)	E	1	9.6	25	10	Good	yes	no
1447	Pinus ponderosa (Ponderosa pine)	E	1	6.0	25	5	Good	yes	no
1448	Pinus ponderosa (Ponderosa pine)	E	1	7.2	30	10	Good	yes	no
1449	Acer macrophyllum (Bigleaf maple)	D	1	19.7	55	20	Good	yes	no
1450	Pseudotsuga menziesii (Douglas-fir)	E	2	22.8	85	20	Good	yes	no
1451	Arbutus menziesii (Pacific madrone)	E	1	17.0	50	10	Good	yes	no
1452	Acer macrophyllum (Bigleaf maple)	D	1	7.8	40	15	Fair	yes	no
1453	Acer macrophyllum (Bigleaf maple)	D	1	7.6	40	15	Fair	yes	no
1454	Pseudotsuga menziesii (Douglas-fir)	E	1	24.8	90	25	Good	yes	yes
1455	Acer macrophyllum (Bigleaf maple)	D	1	18.8	55	10	Fair	yes	no
1456	Acer macrophyllum (Bigleaf maple)	D	1	12.8	55	15	Good	yes	no
1457	Acer macrophyllum (Bigleaf maple)	D	1	29.3	65	20	Good	yes	yes
1458	Acer macrophyllum (Bigleaf maple)	D	1	22.9	55	30	Good	yes	no
1459	Pseudotsuga menziesii (Douglas-fir)	E	1	9.7	50	15	Good	yes	no
1460	Arbutus menziesii (Pacific madrone)	E	1	6.0	35	10	Good	yes	no
1461	Arbutus menziesii (Pacific madrone)	E	1	17.1	15	50	Good	yes	no
1462	Acer macrophyllum (Bigleaf maple)	D	1	8.7	30	10	Fair	yes	no
1463	Pseudotsuga menziesii (Douglas-fir)	E	1	32.7	100	30	Good	yes	yes
1464	Acer macrophyllum (Bigleaf maple)	D	1	33.3	65	25	Good	yes	yes
1465	Acer macrophyllum (Bigleaf maple)	D	2	15.5	70	20	Fair	yes	no
1466	Salix scouleriana (Scouler's willow)	D	1	15.0	30	15	Good	yes	no
1467	Alnus rubra (Red alder)	D	3	13.5	30	15	Fair	yes	no
1468	Alnus rubra (Red alder)	D	1	9.3	30	15	Fair	yes	no
1469	Acer macrophyllum (Bigleaf maple)	D	2	6.1	30	5	Good	yes	no
1470	Acer macrophyllum (Bigleaf maple)	D	1	17.5	75	25	Fair	yes	no
1471	Pseudotsuga menziesii (Douglas-fir)	E	1	23.4	90	20	Good	yes	no
1472	Pseudotsuga menziesii (Douglas-fir)	E	1	8.4	60	10	Good	yes	no
1473	Acer macrophyllum (Bigleaf maple)	D	1	25.3	70	25	Fair	yes	yes
1474	Pseudotsuga menziesii (Douglas-fir)	E	1	21.4	90	20	Good	yes	no
1475	Arbutus menziesii (Pacific madrone)	E	1	13.5	65	35	Fair	yes	no
1476	Acer macrophyllum (Bigleaf maple)	D	2	10.3	50	10	Poor	no	no
1477	Acer macrophyllum (Bigleaf maple)	D	1	19.4	55	10	Poor	no	no
1478	Pseudotsuga menziesii (Douglas-fir)	E	1	20.3	90	20	Good	yes	no
1479	Pseudotsuga menziesii (Douglas-fir)	E	1	10.8	70	10	Good	yes	no
1480	Acer macrophyllum (Bigleaf maple)	D	1	17.3	55	15	Fair	yes	no
1481	Pseudotsuga menziesii (Douglas-fir)	E	2	23.6	100	20	Good	yes	no

TAG #	TREE NAME	EV / DEC	# STEMS	COMB DBH (IN)	HEIGHT (FT)	RADIUS (FT)	CONDITION	SIGNIFICANT	LANDMARK
1482	Thuja plicata (Western red cedar)	E	1	8.5	15	10	Fair	yes	no
1483	Acer macrophyllum (Bigleaf maple)	D	1	22.3	65	20	Fair	yes	no
1484	Pseudotsuga menziesii (Douglas-fir)	E	1	11.2	55	10	Good	yes	no
1485	Acer macrophyllum (Bigleaf maple)	D	2	21.0	65	15	Good	yes	no
1486	Acer macrophyllum (Bigleaf maple)	D	2	20.4	80	20	Poor	no	no
1487	Pseudotsuga menziesii (Douglas-fir)	E	1	6.4	60	10	Good	yes	no
1488	Arbutus menziesii (Pacific madrone)	E	1	11.8	65	10	Fair	yes	no
1489	Pseudotsuga menziesii (Douglas-fir)	E	1	21.7	95	20	Good	yes	no
1490	Acer macrophyllum (Bigleaf maple)	D	1	6.0	35	10	Poor	no	no
1491	Acer macrophyllum (Bigleaf maple)	D	1	10.5	35	10	Fair	yes	no
1492	Acer macrophyllum (Bigleaf maple)	D	1	6.2	65	5	Poor	no	no
1493	Arbutus menziesii (Pacific madrone)	E	1	16.7	50	10	Poor	no	no
1494	Pseudotsuga menziesii (Douglas-fir)	E	1	15.9	80	15	Good	yes	no
1495	Pseudotsuga menziesii (Douglas-fir)	E	1	24.3	100	25	Good	yes	yes
1496	Pseudotsuga menziesii (Douglas-fir)	E	1	18.7	95	20	Good	yes	no
1497	Arbutus menziesii (Pacific madrone)	E	1	10.2	75	5	Very Poor	no	no
1498	Arbutus menziesii (Pacific madrone)	E	1	9.6	45	10	Good	yes	no
1499	Pseudotsuga menziesii (Douglas-fir)	E	1	17.6	85	20	Good	yes	no
1500	Pseudotsuga menziesii (Douglas-fir)	E	1	10.5	70	10	Good	yes	no
1501	Pseudotsuga menziesii (Douglas-fir)	E	1	22.3	100	20	Good	yes	no
1502	Pseudotsuga menziesii (Douglas-fir)	E	1	20.5	85	20	Good	yes	no
1504	Pseudotsuga menziesii (Douglas-fir)	E	1	13.1	90	15	Good	yes	no
1505	Pseudotsuga menziesii (Douglas-fir)	E	1	17.6	90	20	Good	yes	no
1506	Acer macrophyllum (Bigleaf maple)	D	1	18.3	45	15	Fair	yes	no
1507	Pseudotsuga menziesii (Douglas-fir)	E	1	12.7	85	15	Good	yes	no
1508	Arbutus menziesii (Pacific madrone)	E	1	17.6	55	20	Fair	yes	no
1509	Pseudotsuga menziesii (Douglas-fir)	E	1	12.7	75	15	Good	yes	no
1510	Pseudotsuga menziesii (Douglas-fir)	E	1	9.4	65	10	Fair	yes	no
1511	Arbutus menziesii (Pacific madrone)	E	1	9.6	30	10	Good	yes	no
1512	Arbutus menziesii (Pacific madrone)	E	1	16.0	45	10	Fair	yes	no
1513	Pseudotsuga menziesii (Douglas-fir)	E	1	9.3	55	15	Good	yes	no
1514	Arbutus menziesii (Pacific madrone)	E	2	6.8	30	5	Poor	no	no
1515	Pseudotsuga menziesii (Douglas-fir)	E	1	7.3	55	10	Good	yes	no
1516	Pseudotsuga menziesii (Douglas-fir)	E	1	27.2	110	30	Excellent	yes	yes
1517	Pseudotsuga menziesii (Douglas-fir)	E	1	24.8	110	25	Good	yes	yes
1518	Arbutus menziesii (Pacific madrone)	E	1	9.6	40	5	Poor	no	no
1519	Pseudotsuga menziesii (Douglas-fir)	E	1	16.0	90	15	Good	yes	no
1520	Arbutus menziesii (Pacific madrone)	E	1	13.2	40	10	Fair	yes	no
1521	Pinus monticola (Western white pine)	E	1	15.0	80	15	Good	yes	no
1522	Pseudotsuga menziesii (Douglas-fir)	E	1	7.4	55	10	Good	yes	no
1523	Arbutus menziesii (Pacific madrone)	E	1	6.2	25	5	Good	yes	no

TAG #	TREE NAME	EV / DEC	# STEMS	COMB DBH (IN)	HEIGHT (FT)	RADIUS (FT)	CONDITION	SIGNIFICANT	LANDMARK
1524	Pseudotsuga menziesii (Douglas-fir)	E	1	24.6	110	20	Good	yes	yes
1525	Pinus monticola (Western white pine)	E	1	8.5	45	10	Good	yes	no
1526	Pseudotsuga menziesii (Douglas-fir)	E	1	10.1	50	10	Good	yes	no
1527	Pseudotsuga menziesii (Douglas-fir)	E	1	22.2	110	20	Good	yes	no
1528	Arbutus menziesii (Pacific madrone)	E	1	15.8	55	10	Very Poor	no	no
1529	Pseudotsuga menziesii (Douglas-fir)	E	1	6.7	70	15	Good	yes	no
1530	Pseudotsuga menziesii (Douglas-fir)	E	1	12.1	85	10	Good	yes	no
1531	Arbutus menziesii (Pacific madrone)	E	1	7.2	45	10	Good	yes	no
1532	Pseudotsuga menziesii (Douglas-fir)	E	1	23.7	100	20	Good	yes	no
1533	Pseudotsuga menziesii (Douglas-fir)	E	1	16.3	90	15	Good	yes	no
1534	Pseudotsuga menziesii (Douglas-fir)	E	1	12.0	90	15	Good	yes	no
1535	Arbutus menziesii (Pacific madrone)	E	1	8.8	55	5	Poor	no	no
1536	Pseudotsuga menziesii (Douglas-fir)	E	1	9.6	70	10	Good	yes	no
1537	Pseudotsuga menziesii (Douglas-fir)	E	1	17.0	100	15	Good	yes	no
1538	Pseudotsuga menziesii (Douglas-fir)	E	1	11.7	80	15	Good	yes	no
1539	Pseudotsuga menziesii (Douglas-fir)	E	1	12.4	70	10	Good	yes	no
1540	Pseudotsuga menziesii (Douglas-fir)	E	1	16.7	90	15	Good	yes	no
1541	Pseudotsuga menziesii (Douglas-fir)	E	1	12.7	85	10	Good	yes	no
1542	Pseudotsuga menziesii (Douglas-fir)	E	1	8.0	45	10	Good	yes	no
1543	Pseudotsuga menziesii (Douglas-fir)	E	1	19.7	100	20	Good	yes	no
1544	Arbutus menziesii (Pacific madrone)	E	1	9.3	65	15	Good	yes	no
1545	Pseudotsuga menziesii (Douglas-fir)	E	1	15.8	95	15	Good	yes	no
1546	Pseudotsuga menziesii (Douglas-fir)	E	1	21.0	95	20	Good	yes	no
1547	Pseudotsuga menziesii (Douglas-fir)	E	1	14.4	85	15	Good	yes	no
1548	Pseudotsuga menziesii (Douglas-fir)	E	1	22.5	110	20	Good	yes	no
1549	Arbutus menziesii (Pacific madrone)	E	1	7.0	50	10	Good	yes	no
1550	Arbutus menziesii (Pacific madrone)	E	1	9.8	35	5	Fair	yes	no
1551	Pseudotsuga menziesii (Douglas-fir)	E	1	17.8	95	20	Good	yes	no
1552	Pseudotsuga menziesii (Douglas-fir)	E	1	9.5	65	15	Good	yes	no
1553	Pseudotsuga menziesii (Douglas-fir)	E	1	11.5	65	15	Good	yes	no
1554	Arbutus menziesii (Pacific madrone)	E	1	10.9	65	5	Fair	yes	no
1555	Arbutus menziesii (Pacific madrone)	E	1	9.5	60	5	Very Poor	no	no
1556	Pseudotsuga menziesii (Douglas-fir)	E	1	8.3	70	10	Good	yes	no
1557	Arbutus menziesii (Pacific madrone)	E	1	9.1	30	10	Fair	yes	no
1558	Pseudotsuga menziesii (Douglas-fir)	E	1	10.7	75	5	Fair	yes	no
1559	Arbutus menziesii (Pacific madrone)	E	1	8.9	4	2	Good	yes	no
1560	Pseudotsuga menziesii (Douglas-fir)	E	1	15.2	95	15	Good	yes	no
1561	Pseudotsuga menziesii (Douglas-fir)	E	1	19.5	95	20	Good	yes	no
1562	Pseudotsuga menziesii (Douglas-fir)	E	1	18.9	100	20	Excellent	yes	no
1563	Pseudotsuga menziesii (Douglas-fir)	E	1	6.2	45	5	Good	yes	no
1564	Arbutus menziesii (Pacific madrone)	E	1	7.5	35	10	Fair	yes	no

TAG #	TREE NAME	EV / DEC	# STEMS	COMB DBH (IN)	HEIGHT (FT)	RADIUS (FT)	CONDITION	SIGNIFICANT	LANDMARK
1565	Pseudotsuga menziesii (Douglas-fir)	E	1	8.2	60	10	Good	yes	no
1566	Arbutus menziesii (Pacific madrone)	E	1	8.6	40	10	Fair	yes	no
1567	Arbutus menziesii (Pacific madrone)	E	1	6.3	8	2	Very Poor	no	no
1568	Pseudotsuga menziesii (Douglas-fir)	E	1	31.3	100	15	Good	yes	yes
1569	Arbutus menziesii (Pacific madrone)	E	1	11.3	50	15	Good	yes	no
1570	Pseudotsuga menziesii (Douglas-fir)	E	1	9.1	65	15	Good	yes	no
1571	Arbutus menziesii (Pacific madrone)	E	1	9.6	65	15	Good	yes	no
1572	Pseudotsuga menziesii (Douglas-fir)	E	1	9.0	75	20	Good	yes	no
1573	Pseudotsuga menziesii (Douglas-fir)	E	1	18.5	100	25	Good	yes	no
1574	Pseudotsuga menziesii (Douglas-fir)	E	1	19.7	100	25	Good	yes	no
1575	Pseudotsuga menziesii (Douglas-fir)	E	1	10.4	50	15	Good	yes	no
1576	Arbutus menziesii (Pacific madrone)	E	1	6.6	45	10	Fair	yes	no
1577	Arbutus menziesii (Pacific madrone)	E	1	8.7	45	10	Fair	yes	no
1578	Arbutus menziesii (Pacific madrone)	E	1	9.9	70	15	Fair	yes	no
1579	Pseudotsuga menziesii (Douglas-fir)	E	1	6.5	70	5	Good	yes	no
1580	Pseudotsuga menziesii (Douglas-fir)	E	1	7.5	60	10	Fair	yes	no
1581	Pseudotsuga menziesii (Douglas-fir)	E	1	6.6	50	10	Good	yes	no
1582	Pseudotsuga menziesii (Douglas-fir)	E	1	17.8	80	10	Good	yes	no
1583	Pseudotsuga menziesii (Douglas-fir)	E	1	13.9	90	15	Good	yes	no
1584	Pseudotsuga menziesii (Douglas-fir)	E	1	20.5	100	20	Good	yes	no
1585	Arbutus menziesii (Pacific madrone)	E	1	9.7	75	10	Poor	no	no
1586	Pseudotsuga menziesii (Douglas-fir)	E	1	9.0	95	10	Good	yes	no
1587	Pseudotsuga menziesii (Douglas-fir)	E	1	11.8	95	15	Good	yes	no
1588	Pseudotsuga menziesii (Douglas-fir)	E	1	7.2	65	10	Good	yes	no
1589	Pseudotsuga menziesii (Douglas-fir)	E	1	10.6	65	10	Good	yes	no
1590	Arbutus menziesii (Pacific madrone)	E	1	6.7	35	10	Fair	yes	no
1591	Arbutus menziesii (Pacific madrone)	E	1	12.3	45	10	Fair	yes	no
1592	Pseudotsuga menziesii (Douglas-fir)	E	1	11.8	75	10	Fair	yes	no
1593	Pseudotsuga menziesii (Douglas-fir)	E	1	17.5	90	15	Good	yes	no
1594	Pseudotsuga menziesii (Douglas-fir)	E	2	9.4	75	10	Good	yes	no
1595	Pseudotsuga menziesii (Douglas-fir)	E	1	6.6	70	10	Good	yes	no
1596	Pseudotsuga menziesii (Douglas-fir)	E	1	13.6	95	15	Good	yes	no
1597	Arbutus menziesii (Pacific madrone)	E	1	10.2	40	10	Good	yes	no
1598	Pseudotsuga menziesii (Douglas-fir)	E	1	17.3	95	20	Good	yes	no
1599	Arbutus menziesii (Pacific madrone)	E	1	15.6	60	15	Good	yes	no
1600	Pseudotsuga menziesii (Douglas-fir)	E	1	7.8	70	10	Good	yes	no
1601	Arbutus menziesii (Pacific madrone)	E	1	9.6	50	10	Fair	yes	no
1602	Pseudotsuga menziesii (Douglas-fir)	E	1	7.0	70	5	Fair	yes	no
1603	Arbutus menziesii (Pacific madrone)	E	1	7.1	35	18	Fair	yes	no
1603	Arbutus menziesii (Pacific madrone)	E	2	7.1	60	10	Fair	yes	no
1604	Arbutus menziesii (Pacific madrone)		1	9.9	8	1	Very Poor	no	no



TAG #	TREE NAME	EV / DEC	# STEMS	COMB DBH (IN)	HEIGHT (FT)	RADIUS (FT)	CONDITION	SIGNIFICANT	LANDMARK
1605	Pseudotsuga menziesii (Douglas-fir)		1	13.0	90	20	Good	yes	no
1606	Acer macrophyllum (Bigleaf maple)		1	6.0	50	10	Fair	yes	no
1607	Arbutus menziesii (Pacific madrone)		1	8.5	4	1	Very Poor	no	no
1608	Arbutus menziesii (Pacific madrone)		1	13.8	65	15	Fair	yes	no
1609	Pseudotsuga menziesii (Douglas-fir)		1	9.0	95	20	Good	yes	no
1610	Pseudotsuga menziesii (Douglas-fir)		1	9.8	65	15	Good	yes	no
1611	Pinus monticola (Western white pine)		1	7.7	75	5	Poor	no	no
1612	Arbutus menziesii (Pacific madrone)		1	9.2	70	5	Fair	yes	no
1613	Pseudotsuga menziesii (Douglas-fir)		1	12.9	85	15	Good	yes	no
1614	Arbutus menziesii (Pacific madrone)		1	8.8	60	10	Good	yes	no
1615	Pseudotsuga menziesii (Douglas-fir)		1	31.5	100	20	Good	yes	yes
1616	Arbutus menziesii (Pacific madrone)		1	8.8	55	10	Good	yes	no
1617	Arbutus menziesii (Pacific madrone)		1	16.9	80	20	Good	yes	no
1618	Pseudotsuga menziesii (Douglas-fir)		1	8.7	60	10	Good	yes	no
1619	Arbutus menziesii (Pacific madrone)		1	6.3	30	5	Good	yes	no
1620	Arbutus menziesii (Pacific madrone)		1	6.3	60	10	Good	yes	no
1621	Pseudotsuga menziesii (Douglas-fir)		1	12.3	75	10	Good	yes	no
1622	Arbutus menziesii (Pacific madrone)		1	7.5	30	10	Good	yes	no
1623	Pseudotsuga menziesii (Douglas-fir)		1	32.5	100	25	Excellent	yes	yes
1624	Pseudotsuga menziesii (Douglas-fir)		1	13.0	95	15	Good	yes	no
1625	Pseudotsuga menziesii (Douglas-fir)		1	16.1	100	20	Good	yes	no
1626	Pseudotsuga menziesii (Douglas-fir)		1	13.6	85	15	Good	yes	no
1627	Arbutus menziesii (Pacific madrone)		1	17.8	85	15	Good	yes	no
1628	Acer macrophyllum (Bigleaf maple)		1	10.7	65	15	Good	yes	no
1629	Arbutus menziesii (Pacific madrone)		1	12.5	75	10	Fair	yes	no
1630	Pseudotsuga menziesii (Douglas-fir)		1	9.0	75	5	Fair	yes	no
1631	Pseudotsuga menziesii (Douglas-fir)		1	7.7	75	5	Good	yes	no
1632	Pseudotsuga menziesii (Douglas-fir)		1	10.8	45	10	Fair	yes	no
1633	Pseudotsuga menziesii (Douglas-fir)		1	7.5	100	15	Good	yes	no
1634	Pseudotsuga menziesii (Douglas-fir)		1	13.6	90	15	Good	yes	no
1635	Pseudotsuga menziesii (Douglas-fir)		1	29.7	110	25	Good	yes	yes
1636	Pseudotsuga menziesii (Douglas-fir)		1	15.3	100	20	Good	yes	no
1637	Populus balsamifera (Cottonwood)		1	10.7	60	10	Good	yes	no
1638	Populus balsamifera (Cottonwood)		1	12.8	65	10	Good	yes	no
1639	Alnus rubra (Red alder)		1	10.8	55	10	Good	yes	no
1640	Salix scouleriana (Scouler's willow)		1	7.1	30	10	Fair	yes	no
1641	Arbutus menziesii (Pacific madrone)		1	13.8	45	5	Poor	no	no
1642	Pseudotsuga menziesii (Douglas-fir)		1	29.4	100	20	Good	yes	yes
1643	Pseudotsuga menziesii (Douglas-fir)		1	26.0	100	15	Good	yes	yes
1644	Thuja plicata (Western red cedar)		1	8.4	25	10	Good	yes	no
1645	Thuja plicata (Western red cedar)		2	12.5	40	15	Good	yes	no

TAG #	TREE NAME	EV / DEC	# STEMS	COMB DBH (IN)	HEIGHT (FT)	RADIUS (FT)	CONDITION	SIGNIFICANT	LANDMARK
1646	Alnus rubra (Red alder)		1	6.0	45	10	Fair	yes	no
1647	Pseudotsuga menziesii (Douglas-fir)		1	23.7	95	15	Good	yes	no
1648	Pseudotsuga menziesii (Douglas-fir)		1	23.3	100	25	Good	yes	no
1649	Alnus rubra (Red alder)		1	6.5	45	15	Good	yes	no
1650	Alnus rubra (Red alder)		1	13.8	50	15	Good	yes	no
1651	Pseudotsuga menziesii (Douglas-fir)		1	28.7	100	25	Good	yes	yes
1652	Arbutus menziesii (Pacific madrone)		1	13.4	65	10	Fair	yes	no
1653	Pseudotsuga menziesii (Douglas-fir)		1	8.5	55	5	Excellent	yes	no
1654	Pseudotsuga menziesii (Douglas-fir)		1	7.1	55	5	Good	yes	no
1655	Pseudotsuga menziesii (Douglas-fir)		1	22.3	100	20	Good	yes	no
1656	Pseudotsuga menziesii (Douglas-fir)		1	8.2	70	10	Good	yes	no
1657	Pseudotsuga menziesii (Douglas-fir)		1	26.1	75	20	Good	yes	yes
1658	Pseudotsuga menziesii (Douglas-fir)		1	18.6	100	10	Good	yes	no
1659	Pseudotsuga menziesii (Douglas-fir)		1	8.2	60	10	Good	yes	no
1660	Pseudotsuga menziesii (Douglas-fir)		1	8.4	65	10	Fair	yes	no
1661	Pseudotsuga menziesii (Douglas-fir)		1	9.9	65	10	Fair	yes	no
1662	Pseudotsuga menziesii (Douglas-fir)		1	6.4	75	10	Fair	yes	no
1663	Pseudotsuga menziesii (Douglas-fir)		1	11.1	90	10	Good	yes	no
1664	Pseudotsuga menziesii (Douglas-fir)		1	22.9	90	15	Good	yes	no
1665	Pseudotsuga menziesii (Douglas-fir)		1	23.9	100	15	Good	yes	no
1666	Pseudotsuga menziesii (Douglas-fir)		1	14.3	95	10	Fair	yes	no
1667	Pseudotsuga menziesii (Douglas-fir)		1	14.0	100	10	Good	yes	no
1668	Pseudotsuga menziesii (Douglas-fir)		1	7.3	55	5	Fair	yes	no
1669	Pseudotsuga menziesii (Douglas-fir)		1	12.0	100	15	Good	yes	no
1670	Pseudotsuga menziesii (Douglas-fir)		1	10.0	65	10	Good	yes	no
1671	Pseudotsuga menziesii (Douglas-fir)		1	6.2	55	5	Good	yes	no
1672	Pseudotsuga menziesii (Douglas-fir)		1	12.9	100	15	Good	yes	no
1673	Pseudotsuga menziesii (Douglas-fir)		1	6.9	50	10	Good	yes	no
1674	Arbutus menziesii (Pacific madrone)		1	15.6	45	15	Good	yes	no
1675	Pseudotsuga menziesii (Douglas-fir)		1	6.9	45	5	Fair	yes	no
1676	Pseudotsuga menziesii (Douglas-fir)		1	13.1	100	15	Good	yes	no
1677	Pseudotsuga menziesii (Douglas-fir)		1	6.1	50	5	Fair	yes	no
1678	Arbutus menziesii (Pacific madrone)		1	6.6	45	10	Very Poor	no	no
1679	Pseudotsuga menziesii (Douglas-fir)		1	38.8	100	20	Fair	yes	yes
1680	Arbutus menziesii (Pacific madrone)		1	19.0	40	15	Good	yes	no
1681	Arbutus menziesii (Pacific madrone)		1	9.6	40	10	Good	yes	no
1682	Pseudotsuga menziesii (Douglas-fir)		1	6.4	35	10	Fair	yes	no
1683	Pseudotsuga menziesii (Douglas-fir)		1	6.0	35	10	Fair	yes	no
1684	Arbutus menziesii (Pacific madrone)		1	8.0	30	5	Very Poor	no	no
1685	Arbutus menziesii (Pacific madrone)		1	8.2	45	5	Poor	no	no
1686	Arbutus menziesii (Pacific madrone)		1	7.1	30	5	Very Poor	no	no

TAG #	TREE NAME	EV / DEC	# STEMS	COMB DBH (IN)	HEIGHT (FT)	RADIUS (FT)	CONDITION	SIGNIFICANT	LANDMARK
1687	Arbutus menziesii (Pacific madrone)		1	14.6	40	10	Good	yes	no
1688	Pseudotsuga menziesii (Douglas-fir)		1	8.6	35	10	Fair	yes	no
1689	Pseudotsuga menziesii (Douglas-fir)		1	19.0	90	15	Good	yes	no
1690	Pseudotsuga menziesii (Douglas-fir)		1	10.7	70	15	Good	yes	no
1691	Pseudotsuga menziesii (Douglas-fir)		1	6.3	55	10	Good	yes	no
1692	Pseudotsuga menziesii (Douglas-fir)		1	14.8	80	10	Good	yes	no
1693	Pseudotsuga menziesii (Douglas-fir)		1	17.5	90	15	Good	yes	no
1694	Pseudotsuga menziesii (Douglas-fir)		1	9.5	70	5	Good	yes	no
1695	Pseudotsuga menziesii (Douglas-fir)		1	20.2	95	15	Good	yes	no
1696	Pseudotsuga menziesii (Douglas-fir)		1	6.0	30	5	Very Poor	no	no
1697	Salix scouleriana (Scouler's willow)		1	6.7	15	10	Very Poor	no	no
1698	Pseudotsuga menziesii (Douglas-fir)		1	17.2	85	10	Good	yes	no
1699	Pseudotsuga menziesii (Douglas-fir)		1	18.8	85	10	Good	yes	no
1700	Pseudotsuga menziesii (Douglas-fir)		1	6.7	55	5	Good	yes	no
1701	Pseudotsuga menziesii (Douglas-fir)		1	20.5	95	10	Good	yes	no
1702	Pseudotsuga menziesii (Douglas-fir)		1	20.3	95	10	Good	yes	no
1703	Pseudotsuga menziesii (Douglas-fir)		1	15.0	95	10	Good	yes	no
1704	Thuja plicata (Western red cedar)		1	6.5	20	10	Fair	yes	no
1705	Pseudotsuga menziesii (Douglas-fir)		1	27.4	90	15	Good	yes	yes
1706	Pseudotsuga menziesii (Douglas-fir)		1	7.0	70	5	Good	yes	no
1707	Pseudotsuga menziesii (Douglas-fir)		1	6.5	25	5	Poor	no	no
1708	Pseudotsuga menziesii (Douglas-fir)		1	17.2	85	10	Good	yes	no
1709	Pseudotsuga menziesii (Douglas-fir)		1	19.8	95	15	Good	yes	no
1710	Pseudotsuga menziesii (Douglas-fir)		1	13.6	90	10	Good	yes	no
1711	Pseudotsuga menziesii (Douglas-fir)		1	12.3	75	10	Good	yes	no
1712	Pseudotsuga menziesii (Douglas-fir)		1	21.0	95	15	Good	yes	no
1713	Pseudotsuga menziesii (Douglas-fir)		1	9.3	50	5	Poor	no	no
1714	Pseudotsuga menziesii (Douglas-fir)		1	19.5	85	10	Good	yes	no
1715	Pseudotsuga menziesii (Douglas-fir)		1	13.1	85	5	Good	yes	no
1716	Pseudotsuga menziesii (Douglas-fir)		1	8.1	80	10	Good	yes	no
1717	Pseudotsuga menziesii (Douglas-fir)		1	26.2	95	20	Good	yes	yes
1718	Pseudotsuga menziesii (Douglas-fir)		1	16.0	75	10	Good	yes	no
1719	Pseudotsuga menziesii (Douglas-fir)		1	9.9	45	10	Fair	yes	no
1720	Pseudotsuga menziesii (Douglas-fir)		1	14.9	85	10	Good	yes	no
1721	Pseudotsuga menziesii (Douglas-fir)		1	6.9	55	10	Poor	no	no
1722	Pseudotsuga menziesii (Douglas-fir)		1	12.9	65	10	Fair	yes	no
1723	Pseudotsuga menziesii (Douglas-fir)		1	23.7	95	15	Good	yes	no
1724	Pseudotsuga menziesii (Douglas-fir)		1	7.3	55	5	Good	yes	no
1725	Pseudotsuga menziesii (Douglas-fir)		1	9.7	75	10	Good	yes	no
1726	Pseudotsuga menziesii (Douglas-fir)		1	25.9	95	20	Good	yes	yes
1727	Pseudotsuga menziesii (Douglas-fir)		1	18.5	95	15	Good	yes	no

TAG #	TREE NAME	EV / DEC	# STEMS	COMB DBH (IN)	HEIGHT (FT)	RADIUS (FT)	CONDITION	SIGNIFICANT	LANDMARK
1728	Pseudotsuga menziesii (Douglas-fir)		1	21.8	95	15	Good	yes	no
1729	Cornus nuttallii (Pacific dogwood)		1	8.4	35	15	Good	yes	no
1730	Pseudotsuga menziesii (Douglas-fir)		2	8.9	45	10	Good	yes	no
1731	Pseudotsuga menziesii (Douglas-fir)		1	9.9	85	10	Good	yes	no
1732	Arbutus menziesii (Pacific madrone)		1	17.0	75	10	Good	yes	no
1733	Arbutus menziesii (Pacific madrone)		1	7.2	45	5	Fair	yes	no
1734	Pseudotsuga menziesii (Douglas-fir)		1	13.3	95	10	Good	yes	no
1735	Acer macrophyllum (Bigleaf maple)		1	32.8	75	20	Fair	yes	yes
1736	Pseudotsuga menziesii (Douglas-fir)		1	6.9	45	5	Fair	yes	no
1737	Pseudotsuga menziesii (Douglas-fir)		1	22.0	90	15	Good	yes	no
1738	Pseudotsuga menziesii (Douglas-fir)		1	16.5	90	10	Good	yes	no
1739	Pseudotsuga menziesii (Douglas-fir)		1	8.5	50	10	Good	yes	no
1740	Pseudotsuga menziesii (Douglas-fir)		1	6.2	35	10	Good	yes	no
1741	Pseudotsuga menziesii (Douglas-fir)		1	22.2	85	15	Good	yes	no
1742	Pseudotsuga menziesii (Douglas-fir)		1	13.0	55	10	Good	yes	no
1743	Pseudotsuga menziesii (Douglas-fir)		1	29.1	95	15	Good	yes	yes
1744	Pseudotsuga menziesii (Douglas-fir)		1	8.0	55	5	Good	yes	no
1745	Pseudotsuga menziesii (Douglas-fir)		1	30.6	90	15	Good	yes	yes
1746	Prunus emarginata (Bitter cherry)		2	7.4	40	10	Poor	no	no
1747	Pseudotsuga menziesii (Douglas-fir)		1	12.5	55	10	Good	yes	no
1748	Acer macrophyllum (Bigleaf maple)		1	14.0	45	10	Good	yes	no
1749	Pseudotsuga menziesii (Douglas-fir)		2	7.1	45	10	Good	yes	no
1750	Pseudotsuga menziesii (Douglas-fir)		1	41.7	120	25	Excellent	yes	yes
1751	Pseudotsuga menziesii (Douglas-fir)		1	9.8	75	10	Good	yes	no
1752	Pseudotsuga menziesii (Douglas-fir)		1	6.0	40	5	Good	yes	no
1753	Arbutus menziesii (Pacific madrone)		1	6.3	20	5	Good	yes	no
1754	Pseudotsuga menziesii (Douglas-fir)		1	18.3	95	15	Excellent	yes	no
1755	Arbutus menziesii (Pacific madrone)		1	6.8	55	5	Good	yes	no
1756	Pseudotsuga menziesii (Douglas-fir)		1	13.7	80	10	Good	yes	no
1757	Pseudotsuga menziesii (Douglas-fir)		1	14.1	85	15	Good	yes	no
1758	Pseudotsuga menziesii (Douglas-fir)		1	26.1	110	20	Excellent	yes	yes
1759	Pseudotsuga menziesii (Douglas-fir)		1	15.6	85	10	Good	yes	no
1760	Arbutus menziesii (Pacific madrone)		1	6.3	25	5	Good	yes	no
1761	Pseudotsuga menziesii (Douglas-fir)		1	6.1	25	10	Fair	yes	no
1762	Pseudotsuga menziesii (Douglas-fir)		1	17.0	95	10	Good	yes	no
1763	Pseudotsuga menziesii (Douglas-fir)		1	18.3	95	10	Good	yes	no
1764	Pseudotsuga menziesii (Douglas-fir)		1	12.7	90	15	Good	yes	no
1765	Pseudotsuga menziesii (Douglas-fir)		1	14.7	95	15	Good	yes	no
1766	Arbutus menziesii (Pacific madrone)		1	6.7	55	5	Good	yes	no
1767	Pseudotsuga menziesii (Douglas-fir)		1	9.1	75	10	Good	yes	no
1768	Pseudotsuga menziesii (Douglas-fir)		1	21.5	85	15	Good	yes	no

TAG #	TREE NAME	EV / DEC	# STEMS	COMB DBH (IN)	HEIGHT (FT)	RADIUS (FT)	CONDITION	SIGNIFICANT	LANDMARK
1769	Pseudotsuga menziesii (Douglas-fir)		1	22.5	95	15	Good	yes	no
1770	Pseudotsuga menziesii (Douglas-fir)		1	23.4	80	10	Good	yes	no
1771	Pseudotsuga menziesii (Douglas-fir)		1	13.4	95	10	Good	yes	no
1772	Pseudotsuga menziesii (Douglas-fir)		1	10.3	85	10	Good	yes	no
1773	Pseudotsuga menziesii (Douglas-fir)		1	13.7	85	10	Good	yes	no
1774	Pseudotsuga menziesii (Douglas-fir)		1	20.7	95	15	Good	yes	no
1775	Pseudotsuga menziesii (Douglas-fir)		1	13.3	90	10	Good	yes	no
1776	Pseudotsuga menziesii (Douglas-fir)		1	15.7	90	10	Good	yes	no
1777	Acer macrophyllum (Bigleaf maple)		1	21.0	75	20	Good	yes	no
1778	Pseudotsuga menziesii (Douglas-fir)		1	11.8	90	10	Good	yes	no
1779	Pseudotsuga menziesii (Douglas-fir)		1	9.1	65	10	Good	yes	no
1780	Acer macrophyllum (Bigleaf maple)		1	6.0	35	15	Fair	yes	no
1781	Pseudotsuga menziesii (Douglas-fir)		2	16.3	85	10	Good	yes	no
1782	Pseudotsuga menziesii (Douglas-fir)		1	27.8	95	15	Good	yes	yes
1783	Arbutus menziesii (Pacific madrone)		1	10.6	65	5	Fair	yes	no
1784	Pseudotsuga menziesii (Douglas-fir)		1	13.7	95	10	Good	yes	no
1785	Arbutus menziesii (Pacific madrone)		1	17.7	50	15	Good	yes	no
1786	Cornus nuttallii (Pacific dogwood)		1	6.5	25	10	Fair	yes	no
1787	Pseudotsuga menziesii (Douglas-fir)		2	15.4	85	10	Good	yes	no
1788	Arbutus menziesii (Pacific madrone)		1	15.3	40	10	Good	yes	no
1789	Pseudotsuga menziesii (Douglas-fir)		1	10.9	80	10	Good	yes	no
1790	Thuja plicata (Western red cedar)		1	24.9	80	20	Poor	no	no
1791	Pseudotsuga menziesii (Douglas-fir)		1	14.9	95	10	Good	yes	no
1792	Pseudotsuga menziesii (Douglas-fir)		1	10.9	85	10	Good	yes	no
1793	Arbutus menziesii (Pacific madrone)		1	14.6	30	10	Fair	yes	no
1794	Pseudotsuga menziesii (Douglas-fir)		1	15.0	85	15	Good	yes	no
1795	Pseudotsuga menziesii (Douglas-fir)		1	12.2	85	10	Good	yes	no
1796	Pseudotsuga menziesii (Douglas-fir)		1	6.7	40	10	Fair	yes	no
1797	Pseudotsuga menziesii (Douglas-fir)		1	19.5	85	15	Good	yes	no
1798	Arbutus menziesii (Pacific madrone)		1	10.1	40	10	Good	yes	no
1799	Pseudotsuga menziesii (Douglas-fir)		1	7.3	35	10	Good	yes	no
1800	Arbutus menziesii (Pacific madrone)		1	11.6	30	10	Good	yes	no
1801	Pseudotsuga menziesii (Douglas-fir)		1	6.5	50	5	Good	yes	no
1802	Pseudotsuga menziesii (Douglas-fir)		1	22.1	100	15	Good	yes	no
1803	Pseudotsuga menziesii (Douglas-fir)		1	17.6	90	10	Good	yes	no
1804	Pseudotsuga menziesii (Douglas-fir)		1	8.5	40	10	Good	yes	no
1805	Pseudotsuga menziesii (Douglas-fir)		1	10.2	55	5	Good	yes	no
1806	Pseudotsuga menziesii (Douglas-fir)		1	13.8	65	10	Good	yes	no
1807	Pseudotsuga menziesii (Douglas-fir)		1	20.3	95	15	Good	yes	no
1808	Pseudotsuga menziesii (Douglas-fir)		1	14.9	85	15	Good	yes	no
1809	Arbutus menziesii (Pacific madrone)		1	20.6	40	10	Fair	yes	no

TAG #	TREE NAME	EV / DEC	# STEMS	COMB DBH (IN)	HEIGHT (FT)	RADIUS (FT)	CONDITION	SIGNIFICANT	LANDMARK
1810	Pseudotsuga menziesii (Douglas-fir)		1	12.8	80	10	Good	yes	no
1811	Pseudotsuga menziesii (Douglas-fir)		1	8.8	70	5	Good	yes	no
1812	Pseudotsuga menziesii (Douglas-fir)		1	19.2	80	10	Good	yes	no
1813	Pseudotsuga menziesii (Douglas-fir)		1	16.2	80	10	Good	yes	no
1814	Pseudotsuga menziesii (Douglas-fir)		1	29.6	95	15	Good	yes	yes
1815	Pseudotsuga menziesii (Douglas-fir)		1	13.3	85	10	Good	yes	no
1816	Pseudotsuga menziesii (Douglas-fir)		1	6.8	70	10	Good	yes	no
1817	Pseudotsuga menziesii (Douglas-fir)		1	17.0	90	15	Good	yes	no
1818	Pseudotsuga menziesii (Douglas-fir)		1	14.3	90	15	Good	yes	no
1819	Pseudotsuga menziesii (Douglas-fir)		1	13.4	85	15	Good	yes	no
1820	Pseudotsuga menziesii (Douglas-fir)		1	9.4	45	10	Good	yes	no
1821	Acer macrophyllum (Bigleaf maple)		1	18.1	55	20	Fair	yes	no
1822	Pseudotsuga menziesii (Douglas-fir)		2	10.4	65	10	Good	yes	no
1823	Pseudotsuga menziesii (Douglas-fir)		1	6.7	65	5	Fair	yes	no
1824	Pseudotsuga menziesii (Douglas-fir)		1	19.6	95	20	Good	yes	no
1825	Pseudotsuga menziesii (Douglas-fir)		1	18.7	95	20	Good	yes	no
1826	Pseudotsuga menziesii (Douglas-fir)		1	16.0	70	15	Good	yes	no
1827	Salix scouleriana (Scouler's willow)		1	11.3	10	5	Very Poor	no	no
1828	Acer macrophyllum (Bigleaf maple)		1	18.1	70	15	Good	yes	no
1829	Pseudotsuga menziesii (Douglas-fir)		1	17.4	85	15	Good	yes	no
1830	Pseudotsuga menziesii (Douglas-fir)		1	8.8	80	10	Good	yes	no
1831	Pseudotsuga menziesii (Douglas-fir)		1	28.7	95	15	Good	yes	yes
1832	Pseudotsuga menziesii (Douglas-fir)		1	19.4	90	15	Good	yes	no
1833	Pseudotsuga menziesii (Douglas-fir)		1	10.2	80	10	Good	yes	no
1834	Pseudotsuga menziesii (Douglas-fir)		1	15.0	60	15	Poor	no	no
1835	Pseudotsuga menziesii (Douglas-fir)		2	6.4	45	10	Good	yes	no
1836	Pseudotsuga menziesii (Douglas-fir)		1	8.4	45	10	Good	yes	no
1837	Salix scouleriana (Scouler's willow)		1	15.1	20	10	Fair	yes	no
1838	Arbutus menziesii (Pacific madrone)		3	8.9	25	15	Good	yes	no
1839	Pseudotsuga menziesii (Douglas-fir)		2	22.0	85	15	Good	yes	no
1840	Arbutus menziesii (Pacific madrone)		1	12.1	50	10	Poor	no	no
1841	Pseudotsuga menziesii (Douglas-fir)		1	21.7	95	20	Good	yes	no
1842	Arbutus menziesii (Pacific madrone)		1	14.6	55	15	Good	yes	no
1843	Pseudotsuga menziesii (Douglas-fir)		3	32.9	100	20	Good	yes	yes
1844	Arbutus menziesii (Pacific madrone)		1	22.5	65	20	Excellent	yes	no
1845	Arbutus menziesii (Pacific madrone)		2	28.5	65	20	Good	yes	yes
1846	Pseudotsuga menziesii (Douglas-fir)		2	16.3	45	10	Good	yes	no
1847	Acer macrophyllum (Bigleaf maple)		1	6.8	20	10	Good	yes	no
1848	Acer macrophyllum (Bigleaf maple)		4	32.1	45	25	Good	yes	yes
1849	Pseudotsuga menziesii (Douglas-fir)		4	7.1	30	10	Good	yes	no
1850	Pseudotsuga menziesii (Douglas-fir)		1	27.0	90	20	Good	yes	yes




TAG #	TREE NAME	EV / DEC	# STEMS	COMB DBH (IN)	HEIGHT (FT)	RADIUS (FT)	CONDITION	SIGNIFICANT	LANDMARK
1851	Pseudotsuga menziesii (Douglas-fir)		1	25.5	90	20	Good	yes	yes
1852	Pseudotsuga menziesii (Douglas-fir)		1	6.1	20	5	Good	yes	no
1853	Salix scouleriana (Scouler's willow)		1	13.9	25	10	Poor	no	no
1854	Salix scouleriana (Scouler's willow)		1	9.0	30	10	Fair	yes	no
1855	Salix scouleriana (Scouler's willow)		1	10.8	25	10	Poor	no	no
1856	Acer macrophyllum (Bigleaf maple)		2	22.7	45	15	Good	yes	no
1857	Pseudotsuga menziesii (Douglas-fir)		4	7.0	45	10	Fair	yes	no
1858	Pseudotsuga menziesii (Douglas-fir)		1	16.8	45	10	Fair	yes	no
1859	Acer macrophyllum (Bigleaf maple)		1	27.0	50	15	Good	yes	yes
1860	Pseudotsuga menziesii (Douglas-fir)		1	26.4	80	15	Good	yes	yes
1861	Pseudotsuga menziesii (Douglas-fir)		2	26.5	95	20	Good	yes	yes
1862	Pseudotsuga menziesii (Douglas-fir)		1	29.9	35	10	Fair	yes	yes
1863	Alnus rubra (Red alder)		2	16.9	45	15	Fair	yes	no
1864	Pseudotsuga menziesii (Douglas-fir)		1	6.1	85	20	Good	yes	no
1865	Salix scouleriana (Scouler's willow)		1	11.6	45	15	Poor	no	no
1866	Pseudotsuga menziesii (Douglas-fir)		4	9.1	45	15	Good	yes	no
1867	Acer macrophyllum (Bigleaf maple)		1	21.3	50	20	Good	yes	no
1868	Salix scouleriana (Scouler's willow)		1	23.9	35	20	Fair	yes	no
1869	Salix scouleriana (Scouler's willow)		4	19.1	40	20	Fair	yes	no
1870	Pseudotsuga menziesii (Douglas-fir)		10	11.4	55	10	Good	yes	no
1871	Pseudotsuga menziesii (Douglas-fir)		1	29.5	80	15	Good	yes	yes
1872	Acer macrophyllum (Bigleaf maple)		1	22.8	70	25	Good	yes	no
1873	Acer macrophyllum (Bigleaf maple)		1	7.4	20	10	Good	yes	no
1874	Acer macrophyllum (Bigleaf maple)		5	28.0	55	25	Good	yes	yes
1875	Thuja plicata (Western red cedar)		2	9.2	35	8	Poor	no	no
1876	Acer macrophyllum (Bigleaf maple)		1	9.4	50	15	Good	yes	no
1877	Acer macrophyllum (Bigleaf maple)		1	10.4	35	8	Poor	no	no

**Tree Inventory Sketch – Shoreview Park (west study area)**

Site Address:	700 NW Innis Arden Way; Shoreline, WA	Prepared for:	City of Shoreline
Parcel Number:	1226039012	TWC Ref. No.:	220722
Site Visit Date:	October 13, 17, 18, and 21, 2022		



**LEGEND**

-  Subject Parcel
-  Study Area
-  Significant Tree



**Note:** Field sketch only. Features depicted are approximate and not to scale. All observations were made from within the subject parcel; adjoining private properties were not entered. Significant trees are marked with 1-1/4 inch round aluminum tags with a unique identification number (#1321-1448) permanently affixed to the tree trunk.






**Tree Inventory Sketch – Shoreview Park (east study area)**

Site Address:	700 NW Innis Arden Way; Shoreline, WA	Prepared for:	City of Shoreline
Parcel Number:	1226039012	TWC Ref. No.:	220722
Site Visit Date:	October 13, 17, 18, and 21, 2022		



**LEGEND**

-  Subject Parcel
-  Study Area
-  Significant Tree



**Note:** Field sketch only. Features depicted are approximate and not to scale. All observations were made from within the subject parcel; adjoining private properties were not entered. Significant trees are marked with 1-1/4 inch round aluminum tags with a unique identification number (#1449-1877) permanently affixed to the tree trunk.